



CONSTRUCTION GUIDE

EARTH SHAKERS AND GROUND BREAKERS



Southeastern 
EQUIPMENT COMPANY

800-798-5438
SOUTHEASTERNEQUIP.COM

EQUIPMENT AND INSIGHT FOR YOUR JOB SITE. Your workday's a tough one — full of deadlines, overruns, and delays. Southeastern's equipment solutions can help you do more in less time, which means you can focus on what you do best: build. From earth moving to demolition and everything in-between, our on-hand inventory from Case, Kobelco, Bomag (and many more) will be there to support you no matter the project size. Whether you choose to rent or buy, Southeastern's product representatives, factory-trained technicians, and dedicated parts personnel will help you find a solution you can rely on to see you through your toughest job. And the one after that.

CALL, CLICK, OR COME IN. We'd love to hear about your next project.

SOUTHEASTERN HELPS YOU WITH:



SELECTION: Selecting customized-for-you equipment to support your daily needs



RENTALS: Renting equipment to help with seasonal increases



EQUIPMENT PROTECTION: Protecting equipment through warranties, insurance, and maintenance plans



SERVICE: Fixing equipment through extensive parts inventory and 18 service locations



FINANCIAL SERVICES: Providing financing options to fit your budget and schedule

CONSTRUCTION EQUIPMENT

SKID STEERS*



MODEL	HP	OPERATING WEIGHT (Lb)	OPERATING LOAD (Lb)
SSV65	64	6,790	1,950
SSV75	74	8,157	2,690

Kubota *Indianapolis and Ft Wayne only

SKID STEERS*



MODEL	HP	OPERATING WEIGHT (Lb)	OPERATING LOAD (Lb)
SR160B	57	5,645	1,600
SR175B	64	6,270	1,750
SV185B	57	6,570	1,850
SR210B	68	6,970	2,100
SR240B	68	7,400	2,400
SR270B	84	8,117	2,700
SV280B	68	8,090	2,800
SV340B	84	9,100	3,400



*Available for rental only. See rental guide for rates.

COMPACT TRACK LOADERS*



MODEL	HP	OPERATING WEIGHT (Lb)	OPERATING LOAD (Lb)
SVL65	68	8,035	3,000
SVL75	75	9,039	3,285
SVL95	96	11,299	4,572

Kubota *Indianapolis and Ft Wayne only

COMPACT TRACK LOADERS*



MODEL	HP	OPERATING WEIGHT (Lb)	OPERATING LOAD (Lb)
TR270B	68	8,270	2,700
TR310B	68	8,880	3,100
TR340B	84	10,000	3,400
TV370B	68	9,630	3,700
TV450B	84	10,610	4,500



*Available for rental only. See rental guide for rates.

LOADER BACKHOES*



MODEL	HP	OPERATING WEIGHT (Lb)	BACKHOE DIG DEPTH
570N EP	72	11,134	-
580N EP	68	15,795	18' 6"
580N	83	16,589	18' 3"
580 Super N	95	17,269	18' 6"
580 Super N WT	95	20,077	18' 6"
590 Super N	108	20,532	20'



*Available for rental only. See rental guide for rates.

DOZERS*



MODEL	TYPE	HP	OPERATING WEIGHT (Lb)	BLADE WIDTH
650M	LT	74	16,250	96"
	WT	74	16,800	112"
	LGP	74	17,550	120"
750M	LT	92	20,040	96"
	WT	92	20,679	112"
	LGP	92	21,180	120"
850M	LT	112	21,560	112"
	WT	112	22,330	120"
	LGP	112	22,830	124"
1150M	LT	127	31,134	120"
	WT	127	32,174	132"
	LGP	127	32,637	132"
1650M	XLT	150	37,750	130"
	WT	150	38,650	156"
	LGP	150	39,550	156"
2050M	XLT	214	45,414	142"
	WT	214	46,891	142"
	LGP	214	48,773	157"



*Available for rental only. See rental guide for rates.

MOTOR GRADERS/MAINTAINERS*



MODEL	HP	OPERATING WEIGHT (Lb)	MOLDBOARD LENGTH
836C	137	26,466	11'
856C	173	33,966	12'
865B	205	33,796	14'
885B	219	39,771	14'



*Available for rental only. See rental guide for rates.

MOTOR GRADERS/MAINTAINERS



MODEL	HP	OPERATING WEIGHT (Lb)	MOLDBOARD LENGTH
M415XT	130	13,220	10'
MG618	133	18,590	10'
MG-622	133	22,840	12'



XT = Toolcarrier,
XR = Extended Reach,
WH = Waste Handler



WHEEL LOADERS*

MODEL	EXTRA OPTIONS*	HP	OPERATING WEIGHT (Lb)
21F	XT	55	10,913
121F	XT	60	11,023
221F		70	12,547
321F		70	13,303
521G	XR, XT	142	25,236
621G	XR, XT, WH	172	29,076
721G	XR, XT, WH	195	33,392
821G	XR	230	40,648
921G	XR	255	45,651
1021G	XR	320	58,711
1121G	XR	347	63,443



*Available for rental only. See rental guide for rates.

SINGLE DRUM VIBRATORY ROLLERS



MODEL	HP	WEIGHT (Pounds)	DRUM WIDTH (Inches)
BW124 DH-5	44	7,010	47
BW124 PDH-5	44	7,120	47
BW145 D-5	74	10,472	56
BW145 DH-5	73	10,626	56
BW145 PDH-5	73	11,177	56
BW177 D-5	74	14,551	66
BW177 DH-5	74	14,771	66
BW177 PDH-5	74	15,322	66
BW 211 D-5	127	23,369	84
BW 211 DH-5	127	24,008	84
BW 211 PD-5	127	26,676	84
BW 211 PDH-5	127	27,690	84
BW 213 DH-5	154	28,043	84
BW 213 PDH-5	154	30,490	84



CRAWLER EXCAVATORS



MINI-EXCAVATORS*



MODEL	SPECIALTY	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
K008-3		10	2,200	5' 8"
U17	Short Swing	15	3,703	7' 7"
KX018-4		15	3,748	7' 9"
U25	Short Swing	20	5,625	9' 3"
KX71-3		23	6,305	9' 9"
U35-4	Short Swing	24	8,129	9' 8"
KX033-4		24.8	7,420	10' 6"
KX040-4		39	9,500	11' 2"
U55-4	Short Swing	45	11,915	11' 10"
KX057-4		45	12,200	12' 8"
KX080-4S		66.6	18,365	15' 1"

Kubota *Indianapolis and Ft Wayne only



MINI-EXCAVATORS

MODEL	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
SK17SR-5E	15	3,836	7' 7"
SK25SR-6E	20	5,930	9' 2"
SK30SR-6E	23	7,670	9' 3"
SK35SR-6E	23	8,555	10' 0"
SK45SRX-6E	37	10,300	11' 3"
SK55SRX-6E	37	10,300	12' 10"

KOBELCO

LARGE EXCAVATORS

MODEL	SPECIALTY	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
SK75SR-7	Short Swing	55	17,100	15'
SK85CS-7	Short Swing	55	18,700	14' 8"
SK140SRLC-5	Short Swing	95	31,500	19' 7"
ED160-5	Bladerunner	95	36,200	19'1"
SK170LC-10		127	38,800	21' 3"
SK210LC-10		166	49,400	22'
SK210HLC-10	Hybrid	160	52,500	22'
SK210LC-10 LR	Long Reach	160	52,200	39' 5"
SK230SRLC-5	Short Swing	160	56,400	21' 7"
SK260LC-10 LR	Long Reach	178	62,000	48' 4"
SK270SRLC-5	Short Swing	160	60,000	21' 9"
SK260LC-10		185	59,300	23'
SK300LC-10		252	68,100	23' 7"
SK300LC-10 LR	Long Reach	252	77,473	48' 10"
SK350LC-10		270	81,800	24' 10"
SK500LC-10		369	114,000	25' 7"
SK850LC-10		510	181,440	31' 10"

KOBELCO

THE LONG AND SHORT OF OUR TRAILERS

Haul away on Page 8 and 9 >>



SPECIALTY EXCAVATORS

TELESCOPIC, HIGHWAY TRAVEL



MODEL	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
D152	220	32,200	13' 6"
D154 (4x4)	250	34,500	13'
XL 3100 V	215	40,930	18' 4"
XL 4100 IV	245	49,684	20' 3"
XL 5100 IV	265	57,670	24' 5"

GRADALL®

TELESCOPIC, ON/OFF PAVEMENT



MODEL	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
XL 3300 V	172	39,294	18' 5"
XL 4300 V	173	43,580	21' 3"
XL 5300 V	173	51,216	24' 7"

GRADALL®

TELESCOPIC, CRAWLER EXCAVATORS



MODEL	HP	OPERATING WEIGHT (Lb)	MAX DIG DEPTH
XL 3200 V	172	39,240	19' 2"
XL 4200 V	173	46,862	22'
XL 5200 V	173	54,452	25' 4"

GRADALL®

TELESCOPIC, INDUSTRIAL



MODEL	HP	OPERATING WEIGHT (Lb)	MAX WORK HEIGHT
XL 3310 V	172	42,294	14' 11"
XL 4310 V	173	46,580	14' 11"
XL 5310 V	173	55,926	14' 11"
XL 7310 V	173	77,500	14' 3"

GRADALL®

TELESCOPIC, MINE SCALING



MODEL	HP	OPERATING WEIGHT (Lb)	MAX SCALING HEIGHT
XL 3320 V	172	42,294	23' 7"
XL 4320 V	173	46,580	25' 1"
XL 5320 V	173	55,926	26' 9"
XL 7320 V	215	77,500	52' 3"

GRADALL®

DEMOLITION EXCAVATORS



MODEL	SPECIALTY	HP	MAX ARM REACH
SK140SRD-5	Car Demo	95.6	20'
SK210D-10	Car Demo	160	19' 4"
SK350DLC-10	Building Demo	269.5	70'
SK400DLC-10	Building Demo	269.5	81'
SK550DLC-10	Building Demo	363	90'

KOBELCO


SURRENDER TO THE GREEN MACHINE

Schedule a demo and learn about Kobelco's hybrid excavator — the SK210HLC-10 >>



ATTACHMENTS*

WE ARE PROUD TO PARTNER WITH THE FOLLOWING VENDORS:



LOOKING FOR USED ATTACHMENTS AND HARD-TO-FIND PARTS? OUR PARTS OUTLET IS READY TO HELP!

**Pictured and listed attachments are a sampling of the manufacturer's product line. Please see manufacturer's literature for all types, models, and specifications.*

ATTACHMENTS BY EQUIPMENT TYPE

	PALADIN	BLUE DIAMOND	VIRNIG	PREMIER	WERK-BRAU	GEITH	AIM	ACS	ROCKLAND	FRD	INDECO	WAIN-ROY	ALITEC	FECON	ARROW	ALLIED WINCH	GLEDHILL	SCOOP DOGG
SKID STEERS/CTLS	•	•	•	•	•		•		•	•	•		•	•				•
EXCAVATORS	•				•	•	•	•	•	•	•	•		•				
WHEEL LOADERS	•				•		•	•	•									•
BACKHOES	•				•		•	•	•	•	•							•
DOZERS	•						•		•							•		
TELEHANDLERS															•			
TRUCK BODIES																	•	

ATTACHMENTS BY MANUFACTURER

	PALADIN	BLUE DIAMOND	VIRNIG	PREMIER	WERK-BRAU	GEITH	AIM	ACS	ROCKLAND	FRD	INDECO	WAIN-ROY	ALITEC	FECON	ARROW	ALLIED WINCH	GLEDHILL	SCOOP DOGG
AUGER	•	•	•	•									•					
BALE HANDLER	•	•		•														
BLADE	•	•	•					•	•									
BOOM	•	•	•		•			•	•									
BRUSH CUTTER	•	•	•	•										•				
BROOM	•	•	•						•				•					
BUCKET	•	•	•		•	•	•	•	•			•	•					
COLD PLANER	•	•											•					
COMPACTION WHEEL					•			•	•	•	•							
COUPLER	•				•	•	•	•	•	•		•						
FORK	•	•	•	•	•	•	•	•	•						•			
GRAPPLE	•	•	•		•	•	•	•	•	•			•	•	•			
HYDRAULIC BREAKER	•									•	•							
LASER GRADING BOX	•																	
MULCHER	•										•			•				
PLATE COMPACTOR	•	•								•	•							
POWER TILT					•													
RAKE	•	•	•		•		•	•	•						•			
RIPPER	•				•	•	•	•	•									
SALT SPREADER																	•	•
SNOW BLADE/PUSHER	•		•	•					•								•	•
SNOW BLOWER	•		•															
SPEAR	•	•	•	•														
STUMP GRINDER	•	•											•	•				
THUMBS	•				•	•	•	•	•	•								
TILLER	•	•	•										•					
TREE PULLER	•	•	•															
TREE SHEAR	•													•				
TRENCHER	•	•	•	•														
WINCH	•															•		

LOWBOY AND SPECIALTY TRAILERS

TAGALONGS



MODEL	LOAD CAP. (Lb)
B6 DOW	12,000
B9 DOW	18,000
10 HA-PT	20,000
12 HA-PT	24,000
12 HDB-PT	24,000
15 HDB-PT	30,000
20 XPT	40,000
25 XPT	50,000
25 XPL	50,000



PAVER LOWBOYS



TYPE	LOAD CAP. (Lb)
35 GSL-PT	70,000
50 GSL-PT	100,000
55 GSL-PT	120,000
60 GSL-PT	120,000



DROP DECK RAMP



TYPE	LOAD CAP. (Lb)
2000 SERIES	6,500 - 13,000
10 SERIES	7,700 - 12,000
50 SERIES	10,000 - 12,000
2960 SERIES	15,000



LOWBOYS



MODEL	LOAD CAP. (Lb)
25 GLB-L	50,000
35 GLB	70,000
35 GSL-S4S	70,000
35 GSL-S	70,000
35 GSL-BR	70,000
50 GLB	100,000
50 GSL/BR	100,000
50 GSL-3	100,000
55 GSL-3	110,000
60 GSL-3	120,000
65 GSL-3	130,000



OILFIELD



TYPE	LOAD CAP. (Lb)
50 GLB-3	100,000
60 GLB-4	120,000
70 GLB-5	140,000



DECK-OVER WHEEL



TYPE	LOAD CAP. (Lb)
5000 SERIES	12,000 - 18,000
6000 SERIES	18,000 - 30,000
6010 SERIES	20,000 - 40,000
8000 SERIES	12,000 - 18,000
9000 SERIES	18,000 - 24,000



99 PROBLEMS BUT A FILTER AIN'T ONE

Parts and service available at 18 locations >>



HYD. REMOVABLE GOOSENECK



MODEL	LOAD CAP. (Lb)
RTN35-16	70,000
RTN55-16	110,000
RTN55E-16	100,000 - 110,000
RTN55-LTD-16	100,000 - 110,000
RTN60-16	120,000



MECH. REMOVABLE GOOSENECK



MODEL	LOAD CAP. (Lb)
S-MRG-16	60,000



LOWBOYS*



TYPE	LOAD CAPACITY
OVER THE ROAD SERIES	Up to 100,000
HX HIGH FLATBED SEMI TRAILERS	Up to 100,000
HYDRAULIC DETACHABLE GOOSENECKS	Up to 120,000
HYDRAULIC TAILS	Up to 100,000
TILT SLIDE AXLE SERIES	Up to 100,000

FELLING *Indianapolis and Ft Wayne only

PAVER, REAR LOADING



MODEL	LOAD CAP. (Lb)
RTN35-PS-16	70,000
RTN55E-PS-16	100,000 - 110,000



PAVER, REMOVABLE GOOSENECK



MODEL	LOAD CAP. (Lb)
S-RSP-16	50,000 - 70,000



DECK OVER RAMP*



MODEL	LOAD CAP. (Lb)
AVAILABLE MODELS	19,280 to 60,000

FELLING *Indianapolis and Ft Wayne only

SEMI TRAILER*



MODEL	LOAD CAP. (Lb)
MX SERIES	50,000 to 100,000
NARROW NECK SERIES	70,000 to 100,000
RGT SERIES	50,000 to 70,000
X-FORCE HDG	70,000 to 120,000

FELLING *Indianapolis and Ft Wayne only

CUSTOM TRAILERS: BUILT FROM THE AXLE UP

Trailers are a must have item for today's job site — don't get stuck in the mud with standard configurations that don't work for your daily needs. From mini-loads to multiple pieces, we can help you create a trailer that you'll be proud to call your own.

ASK US TO CUSTOMIZE A TRAILER FOR YOU >>



Gooseneck



Axles / Brakes



Platform



Rear Section



Electrical



Suspension



Tires / Wheels



Paint



MATERIAL HANDLING AND LIFTS

ROUGH TERRAIN FORKLIFTS*



MODEL	HP	OPERATING WEIGHT (Lb)	MAX LIFT CAPACITY (Lb)
586H	74	14,621	6,000
588H	74	16,978	8,000



*Available for rent - see rental guide for rates.

TELEHANDLERS



MODEL	MAX REACH	MAX LIFT HEIGHT	MAX LIFT CAPACITY (Lb)
Available Models	10' 11" - 18' 7"	18' 4" - 31' 8"	5,500 - 16,755
Available Models	11' 3" - 27' 3"	18' 10" - 44'	5,500 - 15,000



TELESCOPIC BOOM LIFTS



MODEL	PLATFORM HEIGHT	PLATFORM CAPACITY (Lb)	HORIZONTAL OUTREACH
Available Models	39' 7" - 185' 7"	500 - 600	33' - 80'
Available Models	46' - 186'	500 - 750	31' 8" - 80'



*Electric/Hybrid telescopic lifts available

LOW LEVEL ACCESS LIFTS



MODEL	MACHINE WIDTH	WORKING HEIGHT
Available Models	2' 4" - 5' 4"	10' 11" - 19' 6"



TOWABLE BOOM LIFTS



MODEL	HORIZONTAL OUTREACH	PLATFORM HEIGHT
Available Models	20' 2" - 30"	34' 5" - 50'



ARTICULATED BOOM LIFTS



MODEL	PLATFORM HEIGHT	PLATFORM CAPACITY (Lb)	HORIZONTAL OUTREACH
Available Models	33' 10" - 150'	500 - 600	19' 11" - 63' 2"
Available Models	36' - 141'	500 - 600	21' 5" - 69' 9"



Electric/Hybrid articulating lifts available

SCISSOR LIFTS



MODEL	TYPE	PLATFORM CAPACITY (Lb)	WORKING HEIGHT
Available Models	Electric or Diesel	1,000 - 1,500	18' 9" - 53'
Available Models	Diesel	500 - 770	18' 10" - 52'



TOUCAN MAST BOOM LIFTS



MODEL	PLATFORM HEIGHT	PLATFORM CAPACITY (Lb)	MACHINE WIDTH
Available Models	20' 4" - 32' 3"	1,000 - 1,500	3' 3" - 3' 11"



STOCK PICKERS



MODEL	MACHINE WIDTH	WORKING HEIGHT
Available Models	2' 6"	16' - 25' 5"



ELEVATE YOUR WORK WITH OUR RENTALS

Lift up a rental guide >>



MISCELLANEOUS

ROTARY MOWERS



MODEL	TYPE (Mount)	MIN HP REQ	MATERIAL CUT CAP.	CUTTING WIDTH
Versa 60	Side	60	1"	60"
Versa 72	Side	60	1"	72"
EXTEN-A-KUT II	Offset	45 PTO	1"	Up to 12' 6"
Grass Kind	Flail	60	1"	62", 74"
Interstater	Flail	60	1"	6' - 20'
Versa Flail	Flail	60	1"	74", 88"
Super Heavy Duty	Flail	25-50	1"	74", 88", 96"
RX60	Rear	35 PTO	2.5"	60"
RX72	Rear	45 PTO	2.5"	72"
RX84, Pull	Rear	30 PTO	2.5"	84"
RX84, Lift	Rear	60 PTO	2.5"	84"
RX96, Pull	Rear	30 PTO	2.5"	96"
RX96, Lift	Rear	55 PTO	2.5"	96"
Eagle Flex-Wing	Rear	50 PTO	3.5"	10', 15'
Falcon Flex-Wing	Rear	75	3.5"	10', 15'



LIGHT TOWERS



MODEL	POWER (KW)	LIGHTS
MLT3060	6	(4) 1,100 MH
MLT4060	6	(4) 1,100 MH
MLT4060MVD	6	(4) 296W LED
MLT4080	8	(4) 1,100W MH
MLT4150	15	(4) 1,100W MH
MLT4200	20	(4) 1,100W MH



GENERATORS



MODEL	POWER (KW)	RUN TIME
MLG8K	8.1	43 hrs.
MLG15M	13	43 hrs.
MLG20IF4	19	23.8 hrs



BOOM MOWERS



MODEL	TYPE (Mount)	MIN HP REQ	MATERIAL CUT CAP.	CUTTING WIDTH
Machete 2	Mid	90	5"	18', 22', 25'
Maverick	Mid	90	4"	21' - 24', 27' - 30'
Maverick 2	Mid	110	4"	22', 24', 28', 30'
Samurai	Mid	80	4"	18', 22', 25'
McConnel PA41	Rear	45	1"	-
McConnel PA47	Rear	50	2"	-
McConnel PA48 M	Rear	50	2"	-
Versa	Mid	80	Varies	17', 20', 23'
Alamo	Rear	80	Varies	17', 20', 23'

RC SLOPEMOWER



MODEL	TYPE (Mount)	MIN HP REQ	CUTTING WIDTH
TRAXX RF	Front	40	51"



AIR COMPRESSORS



MODEL	POWER (KW)	PSI
185	36.5	100
375H	91	150
400HH	117	200
600HH	205	200
700HH	205	175



TRASH PUMPS



MODEL	HP
2"	5
3"	5
6"	5



TELEMATICS FROM SOUTHEASTERN

TELEMATIC TECHNOLOGY provides remote and real-time analytics to make it easy for you to track, measure, and manage engine idle time, fuel levels, and machine performance throughout the workday.

Other added benefits include predictive maintenance and remote machine tracking and recovery.

TELEMATIC TECHNOLOGY is available for most machines, including:



BACKHOES



COMPACTION



DOZERS



SKID STEERS / CTLS



EXCAVATORS



WHEEL LOADERS

SUBSCRIBE TO SUCCESS: Most machines can take advantage of telematic technology. With simple hardware installation, you can enjoy the freedom of a yearly subscription package — renew or stop when the year is up. Talk to our Technology Specialist to discuss requirements and pricing.

NEW EQUIPMENT AND RENEWALS

Most new equipment comes standard with telematics. Simply call and activate your subscription.

OLDER EQUIPMENT

Older equipment may require hardware installation. Once completed, call and activate your subscription.



**FOR MORE INFORMATION,
CONTACT OUR TECHNOLOGY SPECIALIST**

JARED ROBINSON

330-418-0612 // jarobinson@southeasternequip.com





DEPENDABLE SECURITY

Rest easy knowing your fleet is safe and secure even when you're relaxing at home. If unauthorized movement occurs, features like machine curfew, geofencing, and motion detection will help in tracking your machine and aiding in its recovery — when it's turned off.

Features vary by manufacturer.



PROACTIVE DEALER SUPPORT

With telematic technology, Southeastern is your extra eye in the sky. Our team will receive alerts directly from your machine — helping us with preventative maintenance and diagnosing problems.



SIMPLIFIED MAINTENANCE

Stay a step ahead of machine maintenance with alerts and reports on your equipment's performance. Keep track of your machine's maintenance history, set up automatic alerts, and have reminders sent by email.



ACCURATE JOB COSTING

Misallocating your crew and resources across several job sites adds up. Bid appropriately and forecast appropriately with in-depth reporting and up to minute fleet metrics.



MACHINE CONTROL SOLUTIONS

WE'VE PARTNERED WITH LEICA GEOSYSTEMS to bring you SiteControl — tailor-made hardware and software solutions for all positioning and measuring tasks in road and general construction. Available in 1D, 2D, or 3D packages, the software uses lasers and satellite technology to enable reliable and repeatable precision work. With a small financial investment, SiteControl provides many advantages that continue to pay back job site after job site.



1D SYSTEM

FOR: Digging in a one direction slope

APPLICATIONS: Bases, foundations, pipelaying, underwater digging, and grading

GREAT FOR: Small projects



2D SYSTEM

FOR: Digging on two slopes

APPLICATIONS: Road, parking lot excavation, and drainage work

GREAT FOR: Small to medium size projects



3D SYSTEM

FOR: Monitoring a digital model of the job site

APPLICATIONS: Large road/infrastructure projects and industrial sites

GREAT FOR: Large projects



MACHINE CONTROL comes in several packages and requires different hardware components. Contact our Technology Specialist to see what may be required.

SYSTEM	SOFTWARE NAME	PACKAGE	MACHINES	CONTROL PANEL	GNSS RECEIVER	LASER GUIDE	ANTENNAS	SENSORS
iCON excavate	iXE1	1D	Excavator	●		●		●
	iXE2	2D	Excavator	●		●		●
	iXE3	3D	Excavator	●	●		●	●
iCON roller	iCS3	3D	Roller	●	●		●	●
iCON grade	iGSS2	2D	Skid Steer	●		●	●	●
	iGD2	2D	Dozer	●		●		
	iGG2	2D	Grader	●		●		●
	iGD3 / iGD4SP**	3D	Dozer	●	●		●	●
	iGG3 / iGG4	3D	Grader	●	●		●	●
	iGW3	3D	Wheel Loader	●	●		●	●



CONTROL PANEL†



LASER GUIDE†



SENSORS†



ANTENNA†



RECEIVER†

SITECONTROL helps you be more productive and helps you save money. Read on to find out more.



SAVES YOU MONEY.

Machine control prevents rework, over-digging, undercutting, lost time, and wasted fuel, so your machines stay newer for longer.



INCREASES YOUR PRODUCTIVITY.

Laser and GPS-guided cuts provide improved performance and less waste, even for the most veteran operator.



FOR MORE INFORMATION, CONTACT OUR TECHNOLOGY SPECIALIST

JARED ROBINSON

330-418-0612 // jarobinson@southeasternequip.com



EQUIPMENT AND INSIGHT FOR YOUR JOB SITE

Southeastern Equipment has been a trusted equipment solutions provider for more than 60 years. We carry a wide range of the world's leading manufacturers to ensure that you have the most rugged and reliable equipment to tackle any job. Here's some of the brands we're proud to offer:



OHIO

BRILLIANT

1356 3rd Street
Brilliant, OH 43913
PHONE: 740-598-3400

BRUNSWICK

1500 Industrial Parkway
Brunswick, OH 44212
PHONE: 330-225-6511

CAMBRIDGE

10874 East Pike Rd.
Cambridge, OH 43725
PHONE: 740-432-6303

DUBLIN

6390 Shier-Rings Rd.
Dublin, OH 43016
PHONE: 614-889-1073

GALLIPOLIS

228 SR 7 North
Gallipolis, OH 45631
PHONE: 740-446-3910

HEATH

1505 Hebron Rd. (Rt. 79)
Heath, OH 43056
PHONE: 740-522-3500

MANSFIELD

3875 West Fourth St.
Mansfield, OH 44903
PHONE: 419-529-4848

MARIETTA

26580 St. Rt. 7
Marietta, OH 45750
PHONE: 740-374-7479

MENTOR

8757 Tyler Blvd.
Mentor, OH 44060
PHONE: 440-255-6300

MONROE

404 Breden Rd.
Monroe, OH 45050
PHONE: 513-539-9214

NORTH CANTON

6415 Promler Ave.
North Canton, OH 44720
PHONE: 330-494-3950

PERRYSBURG

27207 N. Dixie Highway
Perrysburg, Ohio 43551
Phone: 419-874-0331

MICHIGAN

HOLT

1776 S. Cedar St.
Holt, MI 48842
PHONE: 517-694-0471

NOVI

48545 Grand River
Novi, MI 48374
PHONE: 248-349-9922

KENTUCKY

BURLINGTON

1982 Florence Pike
Burlington, KY 41005
PHONE: 859-586-6133

INDIANA

EVANSVILLE

7444 Enterprise Park Cir.
Evansville, IN 47715
PHONE: 812-476-7321

FORT WAYNE

3333 W. Coliseum Blvd.
Fort Wayne, IN 46808
PHONE: 260-483-8868

INDIANAPOLIS

4951 West 96th St.
Indianapolis, IN 46268
PHONE: 317-872-4877



800-798-5438
SOUTHEASTERNEQUIP.COM